

16 FT Sprinter Kitchen Build (excluding Sprinter)	
Customer: XXXXXXXXXXXX	
Date: July 20, 2015, (Quoted Price Valid for 30 Days)	
Kitchen Interior Build:	
Strip Van of Unwanted Shelving & Cabinets	
Rough Lay Out of Equipment & Counters to determine location for all cut outs	
Cut Outs Framed and Structure Welded Into Place	
Electrical / Outlets / Panel / Switches / Wiring - Install	
100Amp Breaker Box with Breakers	
Electrical Outlets as Required	
Electrical Inspection by Intertek / Approval Label attached	
Walls / Ceilings / Insulation - Install	
Walls, Ceilings, 1" high heat insulation	
Ceiling Skinned w white powder coated alum sheet	
Walls Skinned w 304 #4 quilted stainless	
2 Custom Roof Vents with Gas Springs & Interior Locking Latches	
Large Service Window Fabricated from Aluminum Complete with Gas Springs & Interior Locking Latches	
Folding Exterior Service Table	
1/8 Aluminum checker plated flooring, all edges and seams are sealed to prevent moisture from getting under floor	
Install of Fluorescent Lighting as Required	
Exterior Lighting & Speakers	
Bulk Head (if required add \$2800)	
Custom Counters & Cabinets - 8 FT: (Approx)	
Custom Interior & Exterior Shelving - 10 FT: (Approx)	
Plumbing: (Water System)	
Stainless 3 Compartment Sink Custom Mounted Into Countertop w Hot & Cold Mixing Faucet	
Stainless Hand Wash Sink	
30 Gallon / 114 L Fresh Water Tank	
45 Gallon / 170 L Waste Water Tank	
6 Gallon Propane Fired Suburban Water Heater	
Shurflo 3.0 GPM Delivery Water Pump	
Stainless Tube Cabinet w Cabinet Doors	
Water Fill & City Water Fill	
Waste Water Drain Hose	
Hand Soap & Towel Dispenser	
Gas Lines & Equipment:	
Under Carriage Propane Tank	22.5 gallon
Permit Pulled for Propane System	
High Rating BTU regulator	
Shut-off Valves at all Appliances	
Black Iron Piping to all Appliances	
System is inspected and approved by BC Safety Authority	
Generator - Compartment and Install:	
Hole Cut Out for Generator Compartment	
Custom Generator Tray Framing with Steel Angle Tubing	
Flip up Door with locking latches	
Steel & Aluminum Angle Generator Tray with Heavy Duty Sliders	
Mounting, Wiring and Fuel Hook Up	
Hood:	
Custom Stainless 6 FT Steel Hood & Shroud w Commercial Exhaust Fan	
Stainless steel grease filters & drip trays	
Equipment Install:	
Pick Up from Dealer if required, Uncrating, Assembly, Splash Guards and or Lids, Custom Counters	
Approved Hoses, Hook Ups, Testing and Custom Kick Plating	
Apollo Interior Kitchen Build Total (excluding taxes)	

Kitchen Equipment (Purchased Directly by Customer from Authorized Dealers)	
	Dealer Pricing Subject to Change
Fire Suppression System:	
Quoted and installed by a certified installation company (Great West Fire & Safety)	
Generator: Cummins Western Canada	
Cummins Onan 6500 LP	
Kitchen Equipment: Quoted by Hendrik Restaurant Equipment	
2 x 25" Solid Door Up Right Coolers - True T-12 (10 Amps)	
2 x Garland 40 lb Deep Fryers ESG35T	
1 x 36" US Range U36-2G24R w 2 Burners, 24" Griddle & Convection Oven	
1 x Vollrath Serwewell 3 Well Steam Table (17.5 Amps)	
Equipment Purchased Directly by Customer (including Taxes)	
Kitchen Build Grand Total (including Sprinter in 16x24)	

The Sprinter 4x4



DIMENSIONS & CAPABILITIES	STANDARD ROOF		HIGH ROOF	
	144" WB	144" WB	170" WB	170" WB EXT
2500/3500 CARGO VAN				
Turning Diameter - m (ft)	14.5 (47.6)	14.5 (47.6)	16.6 (54.6)	16.6 (54.6)
Door Opening Height - Side	151.9 (59.8)	182.1 (71.7)	182.1 (71.7)	182.1 (71.7)
Door Opening Height - Rear	153.9 (60.6)	183.9 (72.4)	183.9 (72.4)	183.9 (72.4)
Door Opening Width - Side	130.1 (51.2)	130.1 (51.2)	130.1 (51.2)	130.1 (51.2)
Door Opening Width - Rear	156.5 (61.6)	156.5 (61.6)	156.5 (61.6)	156.5 (61.6)
Cargo Bed Length	349 (137.4)	349 (137.4)	452.6 (178.2)	492.5 (193.9)
Maximum Width at Floor	178.1 (70.1)	178.1 (70.1)	178.1 (70.1)	178.1 (70.1)

2500 CARGO VAN				
Ground to Sliding Door Step	60.2 (23.7)	60.2 (23.7)	58.9 (23.2)	58.9 (23.2)
Load Height - Rear	77.5 (30.5)	77.5 (30.5)	76.2 (30)	75.4 (29.7)
Cargo Width at Wheelhouse	134.9 (53.1)	134.9 (53.1)	134.9 (53.1)	134.9 (53.1)
Interior Height	168.9 (66.5)	197.6 (77.8)	197.6 (77.8)	197.6 (77.8)
Cargo Volume - m³ (cu ft)	9 (319.1)	10.6 (373.8)	13.8 (486.5)	15 (530)
Maximum Available GVWR - t (lbs)	3.88 (8,550)	3.88 (8,550)	3.88 (8,550)	3.88 (8,550)
Base Curb Weight - kg (lbs)	2,419.9 (5,335)	2,444.9 (5,390)	2,605 (5,743)	2,659.9 (5,864)
Maximum Payload - kg (lbs)	1,458.3 (3,215)	1,443.4 (3,160)	1,273.2 (2,807)	1,218.3 (2,686)
Maximum Available GCWR - kg (lbs)	6,146 (13,550)	6,146 (13,550)	6,146 (13,550)	6,146 (13,550)
Maximum Towing - kg (lbs)*	2,268 (5,000)	2,268 (5,000)	2,268 (5,000)	2,268 (5,000)

3500 CARGO VAN				
Ground to Sliding Door Step	-	59.9 (23.6)	58.9 (23.2)	58.9 (23.2)
Load Height - Rear	-	77.2 (30.4)	76.2 (30)	75.7 (29.8)
Cargo Width at Wheelhouse	-	97.8 (38.5)	97.8 (38.5)	97.8 (38.5)
Interior Height	-	197.6 (77.8)	197.6 (77.8)	197.6 (77.8)
Cargo Volume - m³ (cu ft)	-	9.3 (329.3)	12.1 (428.7)	13.2 (467)
Maximum Available GVWR - t (lbs)	-	5 (11,030)	5 (11,030)	5 (11,030)
Base Curb Weight - kg (lbs)	-	2,644.9 (5,831)	2,820 (6,217)	2,894.8 (6,382)
Maximum Payload - kg (lbs)	-	2,358 (5,199)	2,183 (4,813)	2,108 (4,648)
Maximum Available GCWR - kg (lbs)	-	6,917 (15,250)	6,917 (15,250)	6,917 (15,250)
Maximum Towing - kg (lbs)*	-	3,402 (7,500)	3,402 (7,500)	2,268 (5,000)



PASSENGER VAN				
Turning Diameter - m (ft)	14.5 (47.6)	14.5 (47.6)	-	-
Ground to Sliding Door Step	58.9 (23.2)	58.9 (23.2)	-	-
Load Height - Rear	75.4 (29.7)	75.4 (29.7)	-	-
Door Opening Height - Side	151.9 (59.8)	182.1 (71.7)	-	-
Door Opening Height - Rear	153.9 (60.6)	183.9 (72.4)	-	-
Door Opening Width - Side	130 (51.2)	130 (51.2)	-	-
Door Opening Width - Rear	156.5 (61.6)	156.5 (61.6)	-	-
Cargo Bed Length	85.6 (33.7)	85.6 (33.7)	-	-
Cargo Width at Wheelhouse	134.9 (53.1)	134.9 (53.1)	-	-
Maximum Width at Floor	178.1 (70.1)	178.1 (70.1)	-	-
Interior Height	162.8 (64.1)	191.8 (75.5)	-	-
Cargo Volume - m³ (cu ft)	1.9 (68.6)	2.3 (80.9)	-	-
Maximum Available GVWR - t (lbs)	3.88 (8,550)	3.88 (8,550)	-	-
Base Curb Weight - kg (lbs)	2,688 (5,925)	2,718 (5,992)	-	-
Maximum Payload - kg (lbs)	1,190 (2,625)	1,160 (2,558)	-	-
Maximum Available GCWR - kg (lbs)	6,146 (13,550)	6,146 (13,550)	-	-
Maximum Towing - kg (lbs)*	2,268 (5,000)	2,268 (5,000)	-	-
Maximum Seating Capacity	12	12	-	-

2500/3500 CARGO 4x4 VAN SPECIFICATIONS



* we're rep's
@ 4399 kg!

PASSENGER 4x4 VAN SPECIFICATIONS




Standard Roof

High Roof

All measurements in mm (in), unless otherwise specified

Vehicle shown on front of card is equipped with the Sprinter 4x4 TrailerTowing Package from Mercedes-Benz MasterUplifter, Action Car and Truck Accessories. For more details, visit mbva.ca/uplifters or contact your local Mercedes-Benz dealer for details. *Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations. Some specifications and features shown or mentioned in this flyer are optional and only available upon request at extra cost. Specifications are based on expected values for North America and are subject to change without notice. Performance is limited by available traction, which, snow, ice and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires. Read Operator's Manual before towing. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seatbelt. Visit Mercedes-Benz-Vans.ca for details.

©2017 Mercedes-Benz Canada Inc. All terms and conditions in this flyer are based on the latest product information available at the time of publication. Mercedes-Benz reserves the right to make any changes at any time, without notice. Mercedes-Benz Canada Inc., 98 Vanderhoof Avenue, Toronto, Ontario M4G 4G9. Mercedes-Benz-Vans.ca MBV-17-SPR17-0217-GPC4x4 EN Printed in Canada.



2016 MERCEDES SPRINTER VAN

ID	DESCRIPTION
1	TRUCK CONVERSION SHED
2	FRONT
3	COUNTER 210" WIDE 24"
4	DRINK TAP - VOLUME - 10000
5	SINKING - REFRIGERATOR 24" WIDE 2" BURNER & 20" OVEN
6	FRIDGE - TRUCK REFRIGERATOR - 1100-24" WIDE
7	INDUSTRIAL PUMP UNIT - 5000 WATT - 24" WIDE 21" HIGHER CONSUME
8	CABINET - TRUCK REFRIGERATOR - 1100-24" WIDE
9	FRIDGE - TRUCK REFRIGERATOR - 1100-24" WIDE

REVISION / ISSUE DATA

REV	DATE	DESCRIPTION	BY	CHKD
1	10/14/2016	ISSUED FOR REVISION	10/14/2016	10/14/2016
2				
3				
4				
5				
6				
7				
8				
9				
10				

RED TABLE

10/14/2016 10:00 PM

AT