



CERTIFICATE NUMBER
**Commercial Vehicle Inspection Certificate
Traffic Safety Act**
**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	24000 kg	Brake Type:	Air
Owner Name:	MISTY MOUNTIAN ENTERPRISES LTD		
Address:	SITE 626 COM 15 RR1		
City:	LAC LA BICHE	Province:	AB
Postal Code:	T0A2C0		
Telephone Number:	(780) 623-2040		
Vehicle Identification Number:	1M2AG10CX4M013283		
Make:	Mack	Model:	700
Year:	2004	Unit Number:	
Odometer:	580111 KM	Licence Plate Number:	U75731
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE
PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Northern Heavy Duty Repair Ltd.	21386
Inspection Technician Name:	Technician Number:
Dylan Soroka	C9077
Inspection Technician Signature:	
Inspection Date:	2024/07/17

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										24000 kg											
Vehicle Information																					
VIN	1	M	2	A	G	1	0	C	X	4	M	0	1	3	2	8	3				
Unit Number			Year			Make			Model			Odometer									
			2004			Mack			700			580,111									
Registered Owner's Name																Plate Number					
MISTY MOUNTIAN ENTERPRISES LTD																U75731					
Address										Postal Code				Phone Number							
SITE 626 COM 15 RR1										T0A2C0				(780) 623-2040							

Drum Brakes: C-Limited Inspection

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">12 mm</div>		NA	mm	Drums/Rotors	NA	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">12 mm</div>		
		15	mm	Linings/Pads	15	mm			
		34	mm	Push Rod Travel	32	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">14 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">13 mm</div>		NA	mm	Drums/Rotors	NA	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">12 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">10 mm</div>		
		19	mm	Linings/Pads	18	mm			
		27	mm	Push Rod Travel	29	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">13 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">10 mm</div>		NA	mm	Drums/Rotors	NA	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">14 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">14 mm</div>		
		18	mm	Linings/Pads	14	mm			
		33	mm	Push Rod Travel	27	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>			mm	Drums/Rotors		mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>		
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>			mm	Drums/Rotors		mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>		
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>			mm	Drums/Rotors		mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; text-align: center;">mm</div>		
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			

Park Brake Lining Left NA mm Right NA mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.2. Exhaust System	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.3. Emission Control Systems and Devices	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.4. Drive Shaft	✓			1.7. Engine/Shut Down	✓		
1.5. Clutch and Clutch Pedal	✓			1.8. Engine Start Safety Feature	✓		
1.6. Engine/Transmission Mount	✓			1.9. Gear Position Indicator	✓		
1.10. Engine or Accessory Drive Belt	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

REPLACED LH AND RH STEER AXLE SLACK ADJUSTERS

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door			✓	8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8140126) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/07/17	Technician Number C9077	Facility Number 21386	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2024/07/17

Customer Signature