



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Truck				Seating	ј Сар	acity	y:					
GVW:		160001	kg	77		Brake ⁻	Гуре:			Air				
Owner Nan	ne:	DAVIS	& DUNN	TRUC	KING	INC.								
Address: PO BOX 56060 RPO AIRWAYS				YS										
City:	City: CALGARY Pro			Provi	nce:	AB				Post	al Code:	T2E	8K5	
Telephone	Num	ber:	(403) 27	9-6738	3									
Vehicle Ide	ntific	ation Nu	mber:		2A`	YNV8JT	7D3S	154	28					
Make:	H	lino						Мо	del:	Hino				
Year:	Year: 2013					Un	it Nu	ımber:		121828				
Odometer:	Odometer: 4		М	Licen	nce F	Plate Nu	mber	:]	U89	538		Province	э:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
DRB Mechanical Inc.		13000
Inspection Technician Name:		Technician Number:
Jonathan Rullan		B3293
Inspection Technician Signat	ure:	
Inspection Date:	2024/05/23	-



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle							Gro	ss Veh		eight re		d	
/ehicle Information			-	-						10000	9		_
	NV	8	J	Т	7	D	3	S	1	5	4	2	8
Unit Number Ye 121828 20	Ma Hin	0			Mod Hir			Odometer 414,794					
		egistered S & DUN									Plate I U89	Number 1538	•
РО ВО	Addres X 56060 RI		VAYS					Postal (one Nun 3) 279-6	
Drum Brakes: A-Full In	spection witl	n Drum Re	emoved		Disc	Brakes:							
		LEFT		FR	ONT		RIGH'	Ţ)			
100 psi		420.10	mm	Drums	s/Rotors		420.	41 mm		100	psi		
11 mm	1	21	mm		gs/Pads	-		21 mm	.		mm		
	-	38	mm	Push R	lod Trave			38 mm		-			
100 psi 100 psi		420.81	mm	Drums	/Rotors		420.	63 mm	1			200	
		18	mm	Lining	gs/Pads	-	415-7414.0	18 mm	-		psi	100 ps	
11 mm10 mm	<u></u>	41	mm	Push R	od Trave			42 mm		10	mm	10 m	m
psi psi			mm	Drum	s/Rotors			mm			~		`
	_		mm	Lining	gs/Pads			mm			psi	ps	
mm mm			mm	Push R	od Trave			mm		_	mm	m	m)
psi psi			mm	Drum	s/Rotors			mm					
			mm	Lining	gs/Pads			mm		-	psi Y	ps	
mm	-		mm	Push R	od Trave			mm		\ <u> </u>	mm	mr	")
psi psi			mm	Drums	s/Rotors			mm				ps	
	-		mm		gs/Pads			mm	-	-	psi		
			mm	Push R	od Trave			mm			mm	mr)
psi psi			mm		/Rotors	_		mm			psi	psi	
psi psi mm			mm		gs/Pads	-		mm		*	mm		
			mm	Push R	od Trave			mm		_		mr)

	Secti	on	1 - P	ower Train			6.6
Component	P	F	NA	Component	Р	F	NA
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature	1		
1.2. Exhaust System	1			1.9. Gear Position Indicator	1		
1.3. Emission Control Systems and Devices	1			1.10. Engine or Accessory Drive Belt	1		
1.4, Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			1
1.5. Clutch and Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	1		
1.6. Engine/Transmission Mount	~			1.13, Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
1.7. Engine/Shut Down	1						

NOTES:

APPENDIX "A"												
Component	P	F	NA	Component	Р	F	NA					
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		-	1	A.3. Liquefied Natural Gas (LNG) Fuel System			1					
A.2. Compressed Natural Gas (CNG) Fuel System			1									

NOTES:

Section 2 - Suspension													
Component	P	F	NA	Component	P	F	NA						
2.1. Suspension & Frame Attachments	1			2.5. Air Suspension	1								
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer and Controlled-Steer Axle	1								
2.3. Axle & Axle Assembly	1			2.7. Shock Absorber/Strut Assembly	/		\top						
2.4. Spring & Spring Attachment	1												

NOTES:

REPLACE AXLE 2 SHOCKS. REPLACED AXLE 2 SHOCKS.

	Section	3Н -	- Hy	draulic Brakes			Ťą,
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components			1	3H.13, Disc Brake System Components			1
3H.2, Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System			1	3H.15, Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1000	3H.17, Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance			1
3H.12. Drum Brake System Components			1				

NOTES:

	Secti	on	3A -	Air Brakes		i V	77.5
Component	P	F	NA	Component	Р	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	1		
3A.2. Air Supply System	1			3A.14, Brake Chamber	1		
3A.4. Air Tank	1			3A.15. Drum Brake System Components	1		
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	1		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)			1
3A.7. Treadle Valve and Trailer Hand Valve	1			3A,18, Disc Brake System Components			1
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)	1		
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21. Stability Control System	1		
3A.10. Towing Vehicle (Tractor) Protection System			1	3A.23, Brake Performance	1		

	Secti	ion	3A - Air Brake	es			
Component	Р	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	1					Ė	

NOTES:

Large flat washers missing from axle 2 left brake pot. INSTALLED LARGE WASHERS Brake stroke indicator missing axle 2 left. INSTALLED BRAKE STROKE INDICATOR

Shims and snap ring missing from axle 2 left s cam. Not holding adjuster on. INSTALLED SHIMS AND NEW SNAP RING.

Section 4 - Steering										
Component	P	F	NA	Component	Р	F	NA			
4.1. Steering Control and Linkage	1			4.4. Kingpin			1			
4.2. Power Steering System (Hydraulic and Electric)	1			4.5, Self-Steer and Controlled-Steer Axle	1					
4.3. Steering Operation (Active Steer Axle)										

NOTES:

POWER STEERING LEAK AROUND POWER STEERING RESERVIOR. RESEALED POWER STEERING RESERVIOR AND TIGHENED HOES CLAMPS.

S	ection 5 - Instru	men	ts a	nd Auxiliary Equipment	I State III	11	17.
Component	P	F	NA	Component		F	NA
5.1. Fire Extinguisher	1			5.8. Heater & Windshield Defroster			
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater			1
5.3. Horn	/			5.10, Chain/"Headache" Rack	1		
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices	1		
5.6. Odometer	1			5.12. Auxiliary Drive Controls	1		
5.7. Windshield Wiper/Washer	1						

NOTES:

Section 6 - Lamps												
Component	P	F	T	NA	Component	Р	F	NA				
6.1. Required Lamps	1		T		6.4. Instrument Panel Lamps	/	Ť	_				
6.2. Reflex Reflector	1				6.5. Headlamp Aim							
6.3. Retro-Reflective Marking	1											

NOTES:

RIGHT SIDE MIRROR LIGHT OUT. REPLACED LIGHT ASSEMBLY.

Section 7 - Electrical System								1.15
Component	AS NOTE OF	P	F	NA	Component	Р	F	NA
7.1. Wiring		7			7.3. Trailer Cord (output to towed vehicle)		_	1
7.2. Battery		1			The state of the s			1

NOTES:

TIGHTEN BATTERY HOLD DOWN. TIGHTENED BATTERY HOLD DOWN.

	S	ect	ion 8	- Body			
Component	P	F	NA	Component	Р	F	NA
8.1. Hood or Engine Enclosure	1			8.12. Bumper	/		†
8.2. Tilt Cab			1	8.13. Windshield	1		
8.3. Air-Suspended Cab			1	8.14. Side Windows			
8.4. Cab and Passenger-Vehicle Body	1			8.15. Rear Window	1		
8.5. Cargo Body	1			8.16. Interior Sun Visor	1		
8.6. Frame, Rails & Mounts	1			8.17, Exterior Windshield Sun Visor			1
8.7. Unitized Body Elements	1			8.18. Rear-View Mirror	1		
8.8. Cab or Cargo Door	1			8.19. Seat	1		

	S	ecti	ion 8	- Body			
Component	P	F	NA	Component	P	F	NA
8.9. Cargo Tank or Vessel			1	8.20. Seat Belt/Occupant Restraint		Ė	1
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	1			8.21. Fender/Mud Flap	1		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment	1		

NOTES:

MIRROR HEAT NOT WORKING PASSENGER SIDE. REPLACED MIRROR ASSEMBLY.

	Section	9 -	Tire	s and Wheels		N 25	
Component	P	F	NA	Component	Р	E	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	1	Ė	
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim	- 4		1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1		1	9.10. Disc Wheel System	/		~
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1			erry virious r satisficio (rato, Dono and Olddo)	~		-

NOTES:

ADJUST TIRE PRESSURES, ADJUSTED TIRE PRESSURES.

Se	ction 10	- C	oup	lers and Hitches	35 85 45		4.5
Component	P	F	NA	Component	P	E	NA
10.1. Hitch Assembly, Structure & Attaching Components			1	10.5. Roll-Coupling Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler			Y
10.4. Ball Type Hitch				10.8. Oscillating Fifth Wheel Coupler			1

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8104084) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/05/23	Technician Number B3293	Facility Number	Signature
Customer Acknowledgment			
and this Record of Inspection (RC the initial inspection and only the	n identifies defects and repairs are re il) may be presented to any Vehicle Ir failed items noted on this ROI are re ection within 10 days of the initial dat	nspection Facility within 10 days of	Date (Year/Month/Day) 2024/05/23