

Inspection Facility Name:



## **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

# PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Truck			Seating	g Cap	acity	<b>/</b> :					
GVW:		46500 k	сg		Brake '	Type:			Air				
Owner Nam	ne:												
Address:													
City: RED DEER Pro		vince:	AB				Posta	al Code:	T4F	R0K1			
Telephone													
Vehicle Ide	ntific	ation Nu	mber:		IXKWD49	X54R9	9719	30					
Make: Kenworth						Мо	del: C	onstru	ct				
Year: 2004						Uni	it Num	Number:		982-0701			
Odometer:	3	352897 KI	м	Licence	e Plate Nu	ımber	: A76243		13		Province	e:	AB

## IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

Facility Number:

## **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

New West Freightliner Inc		19700
Inspection Technician Name:		Technician Number:
Robert McDougall		B5973
Inspection Technician Signatu	re:	100
Inspection Date:	2024/07/26	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

2660 22 ST T4R  Drum Brakes: C-Limited Inspection Disc Brakes:  LEFT FRONT RIGHT	m m	(780) 7	97 ımber
Var	Code OK1	Odome 352,83 Plate Nu A7624 Phone (780) 7	eter 97 umber 13 e Number 781-2510
Registered Owner's Name	m 1 m m 1	352,89 Plate Nu A7624 Phone (780) 7	97 umber 43 e Number 781-2510
Address	m 1 m m 1	A7624 Phone (780) 7	13 e Numbei 781-2510
Address	m 1 m m 1	Phone (780) 7	e Number 781-2510
Drum Brakes: C-Limited Inspection   Disc Brakes:     Disc Brakes:	m 1 m m 1	(780) 7	781-2510
LEFT   FRONT   RIGHT	m 1	15 mm	105 pei
110 psi	m 1	15 mm	105 pei
105 psi 105 psi 20 mm 105 psi 105 psi 20 mm 20 mm 105 psi 20 mm 20 mm 105 psi 20 mm 10	m 1	15 mm	105 pgi
15 mm  18 mm Linings/Pads 18 mm 40 mm Push Rod Travel  105 psi 20 mm  105 psi	m m	15 mm	105 pci
105 psi   105 psi   20 mm	m 10		105 pgi
105 psi   105 psi   20 mm   17 mm   Linings/Pads   17 mm   40 mm   Push Rod Travel   40 mm   105 psi   105 psi   105 psi   105 psi   19 mm   Linings/Pads   15 mm   105 psi	310	05 psi 1	105 pel
105 psi   105 psi   20 mm   20 mm   17 mm   Linings/Pads   17 mm   40 mm   Push Rod Travel   40 mm   105 psi   105 psi   105 psi   19 mm   Linings/Pads   15 mm   105 psi   10	310	05 psi 1	105 pei
20 mm   20 mm   40 mm   Push Rod Travel   40 mm   105 psi   105 psi   19 mm   Linlngs/Pads   15 mm   20 mm   20 mm   105 mm   1	III	6.00	ioo psi
105 psi 105 psi 19 mm Linlngs/Pads 15 m	m	20 mm	20 mm
105 psi 105 psi 19 mm Linlngs/Pads 15 m			
20 mm 20 mm	10	05 <sub>psl</sub> 1	l05 psi
	"		20 mm
			·
psi psl mm Drums/Rotors m	m	psi Y	psi
mm Linings/Pads m	m	mm	
mm Push Rod Travel m	m		mm
mm Drums/Rotors mi	n		
psi psi mm Linings/Pads mi	m	psi	psl
mm Push Rod Travel mi	n	mm	mm
mm Drums/Rotors mi	,		
psi psi mm Drums/Rotors mi Linings/Pads mi		psi	psl
mm mm Push Rod Travel mi		mm	mm
Park Brake Lining Left NA mm Right NA mm Trans NA	mm		

	Secti	on	1 - P	ower Train			
Component	P	F	NA	Component	Р	F	NA
1.1. Accelerator Pedal/Throttle Actuator	/			1.8. Engine Start Safety Feature	1		
1.2. Exhaust System	1			1.9. Gear Position Indicator	1		
1.3. Emission Control Systems and Devices	1			1.10. Engine or Accessory Drive Belt	1		
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			1
1.5. Clutch and Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	1		-
1.6. Engine/Transmission Mount	~			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
1.7. Engine/Shut Down	1						

## NOTES:

FRONT ENGINE MOUNTS LOOSE/SHIFTED. TIGHTENED BOLTS #2 DIFF INPUT SEAL LEAKING.- REPLACED SEAL #2 DIFF INPUT U JOINT LOOSE- REPLACED U JOINT

	APPENDIX "A"								
Component	P	F	NA	Component	Р	F	NA		
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1		
A.2. Compressed Natural Gas (CNG) Fuel System			1	. , , , ,					

## NOTES:

Section 2 - Suspension											
Component	P	F	NA	Component	P	F	NA				
2.1. Suspension & Frame Attachments	1			2.5. Air Suspension	/						
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer and Controlled-Steer Axle	/						
2.3. Axle & Axle Assembly	1			2.7. Shock Absorber/Strut Assembly	/						
2.4. Spring & Spring Attachment	1										

#### NOTES:

	Section	3H	- Hy	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			1
3H.2. Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System			1	3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance			1
3H.12. Drum Brake System Components			1				

## NOTES:

	Secti	on :	3A -	Air Brakes			
Component	Р	F	NA	Component	Р	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	1		
3A.2. Air Supply System	1			3A.14. Brake Chamber	1		
3A.4. Air Tank	/			3A.15. Drum Brake System Components	1		
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	1		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)			1
3A.7. Treadle Valve and Trailer Hand Valve	1			3A.18. Disc Brake System Components			1
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)	1		
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21. Stability Control System	1		

Section 3A - Air Brakes								
Component	Р	F	NA	Component	Р	F	NA.	
3A.10. Towing Vehicle (Tractor) Protection System	1			3A.23. Brake Performance	/			
3A.11. Parking Brake & Emergency Application	1			Capital Section (Capital Section Capital Secti				

#### NOTES:

AIR TANKS FULL OF MOISTURE.

.2. Power Steering System (Hydraulic and Electric)	Sec	ctio	n 4 -	Steering			
Component	Р	F	NA	Component	P	F	: NA
4.1. Steering Control and Linkage	1			4.4. Kingpin	1		
4.2. Power Steering System (Hydraulic and Electric)	1			4.5. Self-Steer and Controlled-Steer Axle	1		
4.3. Steering Operation (Active Steer Axle)	1				-		

## NOTES:

STEERING U JOINTS LOOSE.- REPLACED U JOINTS D/S TIRE HITS PITMAN ARM.- REPLACED STEERING BOX.

S	Section 5 - Instru	mer	its a	nd Auxiliary Equipment				
Component	P	F	NA	Component	Р		F	NA
5.1. Fire Extinguisher	1			5.8. Heater & Windshield Defroster	1			
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater				1
5.3. Horn	1			5.10. Chain/"Headache" Rack				1
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices		П		1
5.6. Odometer	1			5.12. Auxiliary Drive Controls		ı		1
5.7. Windshield Wiper/Washer	1			<u>-</u>				

#### NOTES:

Section 6 - Lamps								
Component	Р	F	NA	Component	Р	F	NA	
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1			
6.2. Reflex Reflector	1			6.5. Headlamp Aim	1			
6.3. Retro-Reflective Marking	1							

#### NOTES:

FRONT TOP MID CLEARANCE LIGHT NOT WORKING. REPLACED BULB.

Section 7 - Electrical System							
Component	P	F	NA	Component	Р	F	NA
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)	/		
7.2. Battery							

## NOTES:

BATTERY CONNECTIONS CORRODED. CLEANED.

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	/			8.12. Bumper	1		
8.2. Tilt Cab			1	8.13. Windshield	/		
8.3. Air-Suspended Cab	1		112	8.14. Side Windows	1		
8.4. Cab and Passenger-Vehicle Body	_			8.15. Rear Window			
8.5. Cargo Body	1			8.16. Interior Sun Visor	1		
8.6. Frame, Rails & Mounts	1			8.17. Exterior Windshield Sun Visor			1
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	1		
8.8. Cab or Cargo Door	1			8.19. Seat	1		
8.9. Cargo Tank or Vessel			1	8.20. Seat Belt/Occupant Restraint	1		

Section 8 - Body							
Component	P	F	NA	Component	Р	F	NA
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			1	8.21. Fender/Mud Flap	1		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1

#### NOTES:

WINDSHIELDS JUST REPLACED.

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	1		
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System			1
9.5. Wheel Hub	/			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1						

#### NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	Р	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	1			10.5. Roll-Coupling Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.6. Automated Coupling Device			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7, Fifth Wheel Coupler	<b>_</b>		
10.4. Ball Type Hitch			1	10.8. Oscillating Fifth Wheel Coupler			1

#### NOTES:

## Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #7824633) the Inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature		
2024/07/26	B5973	19700	- PAA		
ustomer Acknowledgment					

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the Initial Inspection and only the failed Items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the Initial date of Inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2024/07/26

**Customer Signature**