


**CERTIFICATE NUMBER**

## Commercial Vehicle Inspection Certificate Traffic Safety Act


### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

<b>Vehicle Type:</b>	Truck	<b>Seating Capacity:</b>	
<b>GVW:</b>	56600 kg	<b>Brake Type:</b>	Air
<b>Owner Name:</b>	MD OF TABER		
<b>Address:</b>	4900B 50TH STREET		
<b>City:</b>	TABER	<b>Province:</b>	AB
		<b>Postal Code:</b>	T1G1T2
<b>Telephone Number:</b>	(403) 223-3142		
<b>Vehicle Identification Number:</b>	5KJJAED10EPFL8929		
<b>Make:</b>	Western Star	<b>Model:</b>	WB123064 T
<b>Year:</b>	2014	<b>Unit Number:</b>	2-44
<b>Odometer:</b>	553453 KM	<b>Licence Plate Number:</b>	BJK4996
		<b>Province:</b>	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

### PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

<b>Inspection Facility Name:</b>	<b>Facility Number:</b>
Taber Municipal District of	11128
<b>Inspection Technician Name:</b>	<b>Technician Number:</b>
Marty Stange	A7868
<b>Inspection Technician Signature:</b>	
<b>Inspection Date:</b>	2024/07/19

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>											
Truck										56600 kg											
<b>Vehicle Information</b>																					
VIN	5	K	J	J	A	E	D	1	0	E	P	F	L	8	9	2	9				
Unit Number 2-44			Year 2014			Make Western Star			Model WB123064 T						Odometer 553,453						
Registered Owner's Name MD OF TABER															Plate Number BJK4996						
Address 4900B 50TH STREET												Postal Code T1G1T2				Phone Number (403) 223-3142					

Drum Brakes: B-Wheel-on Full Inspection

Disc Brakes:

		LEFT		FRONT		RIGHT				
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">110 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">18 mm</div>		422.21	mm	Drums/Rotors		421.99	mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">110 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">18 mm</div>	
		14	mm	Linings/Pads		14	mm			
		32	mm	Push Rod Travel		32	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">14 mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">13 mm</div>	421.07	mm	Drums/Rotors		420.35	mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">13 mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">11 mm</div>
		11.04	mm	Linings/Pads		10.87	mm			
		30	mm	Push Rod Travel		26	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">9 mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">6 mm</div>	421.10	mm	Drums/Rotors		420.84	mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">7 mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">7 mm</div>
		10.81	mm	Linings/Pads		10.54	mm			
		29	mm	Push Rod Travel		30	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>		mm	Drums/Rotors			mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>
			mm	Linings/Pads			mm			
			mm	Push Rod Travel			mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>		mm	Drums/Rotors			mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>
			mm	Linings/Pads			mm			
			mm	Push Rod Travel			mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>		mm	Drums/Rotors			mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; text-align: center;">mm</div>
			mm	Linings/Pads			mm			
			mm	Push Rod Travel			mm			

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm  
 Wheel Torque Checked ☒ Inner n/a ft lbs Outer 450 ft lbs

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

**NOTES:**

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components	✓			
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

## NOTES:

#2 AXLE REPLACE DRUM SHOES AND WHEEL SEAL

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓			
4.3. Steering Operation (Active Steer Axle)	✓							

## NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

## NOTES:

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

## NOTES:

REPLACE CAB LIGHTS

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

## NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓			

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

**NOTES:**

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

**NOTES:**

#1 AXLE REPLACE BOTH STEERING TIRES

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

**NOTES:**

## Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8065223)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2024/07/18	A7868	11128	

## Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2024/07/19

Customer Signature

